


SAMPLE
NOT FOR SALE

*Electric
Duet*

© 1981 Insoft
© 1981 Paul Lutus



10175 Barbur Blvd. / Suite 202B / Portland, OR 97219 / (503) 244-4181

**** NOTICE ****

The Electric Duet is shipped on a double sided diskette. The reverse side is your backup. Should the diskette ever become damaged, simply return it with five dollars to cover shipping and handling to:

INSOFT
10175 SW BARBUR BLVD. SUITE 202B
PORTLAND, OR. 97219

for a prompt replacement.

Due to the diskette protection used on The Electric Duet, the screen will fill with inverse 'R's after saving a player module on your diskette (see page 14). This is normal and occurs only after the player has been correctly saved. Simply reboot your Electric Duet diskette to re-enter the program.

**** CORRECTIONS ****

An enhancement was made to the Electric Duet to improve its sound quality and to simplify music entry. This was made possible by using a single duration value for both notes. Please insert the following changes into your Electric Duet manual.

Page 4 - In the last example, both durations should be "4.".

The last paragraph should state that durations for both notes are the same.

Page 8 - The first paragraph should read:

When you are changing durations, you need only enter one of the durations for both to be changed. This is because both notes use the same duration value.

Page 7 - In the last paragraph, the first references to ConTRoL-[R] and ConTRoL-[F] are reversed. ConTRoL-[R] will lengthen note durations, while ConTRoL-[F] will shorten them.

**-NOTICE-
READ BEFORE USING**

If the Electric Duet Player module is incorporated into any program intended for sale or commercial use of any kind, the following message must be prominently displayed on the product's packaging.

The two voice music in this product was created using the Electric Duet Music Synthesizer by Paul Lutus.
Contact:



10175 S.W. Barbur Blvd.
Suite 202B
Portland, OR 97219
(503) 244-4181

*Electric
Duet*

Apple II and II Plus
16 Sector
Apple III Emulation Mode
© 1981 Insoft
© 1981 Paul Lutus
insoft

ette (see page 14).
er the player has
ot your Electric Duet

**

ctric Duet to improve
music entry. This
e duration value for
lows changes into

th durations should

ld state that
s are the same.

uld read:

urations, you need
urations for both to
cause both notes use

the first references
RoL-[F] are reversed.
en note durations,
shorten them.

*Electric
Duet*

Apple II and II Plus
16 Sector

Apple III Emulation Mode

© 1981 Insoft
© 1981 Paul Lutus



Electric Duet

Apple II and II Plus
16 Sector

Apple III Emulation Mode

© 1981 Insoft

© 1981 Paul Lutus



**-NOTICE-
READ BEFORE USING**

If the Electric Duet Player module is incorporated into any program intended for sale or commercial use of any kind, the following message must be prominently displayed on the product's packaging.

The two voice music in this product
was created using the Electric Duet
Music Synthesizer by Paul Lutus.
Contact:



10175 S.W. Barbur Blvd.
Suite 202B
Portland, OR 97219
(503) 244-4181

SAMPLE
NOT FOR SALE

Electric Duet

© 1981 Insoft
© 1981 Paul Lutus

insoft®

202B / Portland, OR 97219 / (503) 244-4181

** NOTICE **

The Electric Duet is shipped on a double sided diskette. The reverse side is your backup. Should the diskette ever become damaged, simply return it with five dollars to cover shipping and handling to:

INSOFT
10175 SW BARBUR BLVD. SUITE 202B
PORTLAND, OR. 97219

for a prompt replacement.

Due to the diskette protection used on The Electric Duet, the screen will fill with inverse 'R's after saving a player module on your diskette (see page 14). This is normal and occurs only after the player has been correctly saved. Simply reboot your Electric Duet diskette to re-enter the program.

** CORRECTIONS **

An enhancement was made to the Electric Duet to improve its sound quality and to simplify music entry. This was made possible by using a single duration value for both notes. Please insert the following changes into your Electric Duet manual.

Page 4 - In the last example, both durations should be "4.".

The last paragraph should state that durations for both notes are the same.

Page 8 - The first paragraph should read:

When you are changing durations, you need only enter one of the durations for both to be changed. This is because both notes use the same duration value.

Page 7 - In the last paragraph, the first references to ConTRoL-[R] and ConTRoL-[F] are reversed. ConTRoL-[R] will lengthen note durations, while ConTRoL-[F] will shorten them.

-NOTICE-
READ BEFORE U

If the Electric Duet Player module or any program intended for sale on any kind, the following message displayed on the product's pack

The two voice music in was created using the Music Synthesizer by F Contact:

insoft®

10175 S
Suite 20
Portlan
(503) 2

Electric
Duet

Apple II and
16 Sector

Apple III and

© 1981 In

© 1981 P

in

SAMPLE
NOT FOR SALE

Electric Duet

© 1981 Insoft
© 1981 Paul Lutus



10175 Barbur Blvd. / Suite 202B / Portland, OR 97219 / (503) 244-4181

diskette. The rever
diskette ever become
five dollars to cove

INSOFT
10175 SW
PORTLAND,

for a prompt replace

Due to the diskette
Duet, the screen wi
saving a player mod
This is normal and
been correctly save
diskette to re-ente

An enhancement was
its sound quality a
was made possible b
both notes. Please
your Electric Duet

Page 4 - In the 1
be "4."

The last
duration

Page 8 - The first

When you
only ent
be chang
the same

Page 7 - In the
to ConT
ConTRoL
while C

Disclaimer of all Warranties and Liability

INSOFT Company and Paul Lutus make no warranties, either expressed or implied, with respect to the software described in this manual, its quality, performance, merchantability or fitness for any particular purpose. This software is licensed "as is". The entire risk as to the quality and performance of the software is with the buyer. Should the software prove defective following its purchase, the buyer (and not INSOFT Company, or Paul Lutus, their retailers or distributors) assumes the entire cost of all necessary servicing, repair or correction and any incidental or consequential damages. In no event will INSOFT Company, or Paul Lutus be liable for direct, indirect, incidental or consequential damages resulting from any defect in the software even if they have been advised of the possibility of such damages. Some States do not allow the exclusion or limitation of implied warranties or liabilities for incidental or consequential damages, so the above limitation or exclusion may not apply to you.



Introduction to The Electric Duet

The Electric Duet is the only music synthesizer program for the Apple][that plays two-part music without the need for add-on circuit boards. Two simultaneous musical parts (each with 4 instrument voices) are provided using an advanced digital music generating technique developed for this program. The music may be played through the Apple][built-in speaker, or you may connect the Apple to your stereo for room-filling sound. Because The Electric Duet needs no music generating circuit boards, it saves several hundred dollars in extra costs. Here are some of the features, from the simple to the advanced:

- (1) A "jukebox" is provided that allows you to play the provided musical library (or music you have added to the library). This is an excellent introduction to The Electric Duet.
- (2) A piano program is provided that allows you to play two-part music at the Apple][keyboard.
- (3) A music editor is provided that allows you to enter music by playing at the Apple][keyboard, edit, insert, combine parts, transpose, select instrument voices, and many other things, to simplify music entry.
- (4) After you have created some music, The Electric Duet allows you to include it in a BASIC (or other language) program by creating a portable "player" module that may be placed anywhere in the Apple][memory.

Each of these features is explained here. Items of particular importance are printed in boldface.

The Electric Duet
diskette. The rev
diskette ever beco
five dollars to co

INSOFT
10175
PORTLA

for a prompt repl

Due to the disket
Duet, the screen
saving a player m
This is normal an
been correctly sa
diskette to re-er

An enhancement w
its sound quality
was made possibl
both notes. Ple
your Electric Du

Page 4 - In th
be "4"

The l
durat

Page 8 - The 1

When
only
be c
the

Page 7 - In t
to C
ConT
whil

Electric Duet

like this:

0	8	,3G	8	,R
1	4	,4A#	4	,2G
2	8	,4C	8	,2G
3	4	,4D	4	,3A#
4	16	,4F	16	,3A#
5	16	,4D	16	,3A#
6	4	,4C	4	,3C
7	8	,4A	8	,3C
8	4	,3F	4	,2F

When you are making durations shorter, you need only enter one of the durations for both to be changed. This is because both notes share the same duration value, and the shortest entry is always selected. When you are making durations longer, both must be entered.

NOTE: Avoid using the upper half of the 5th octave in music entries. Some of the notes in this range are not accurate and should be used only for special effects.

[S]aving a File

After you have entered and edited the previous example "Greensleeves", you may save it for future use. Press [S] for save, and enter a file name (Greensleeves should do) and, if you have more than one disk drive, a slot and drive for the file. You are permitted to put line numbers after the file name, to save a specific part of a file. These numbers are optional. For example:

GREENSLEEVES/0/8/

will save the file beginning at line 0 and ending at line 8.

NOTE: When you save a file using [S], or load using [L] (see below), the prefix "M." is automatically added to the file name. This identifies the file as music so (among other things) the jukebox can pick it out for playing.

[T]ransposition

The [T]ranspose command is one of the most powerful editor commands. With it, you can speed up or slow down all or part of a musical file, change the key in which it is played, and do special kinds of editing.

In this example, we will speed up our short "Greensleeves" file (since the example entries deliberately made it too slow), then change its key.

Electric Duet

Each entry to [T]ranspose includes a starting line number, an ending line number, a specifier telling [T]ranspose which part of the entry to change (Note 1 or 2 or Duration), and a number telling how far to move. Press [T], then make this entry:

(T)ranspose : /0/8/D1/2/

(press RETURN after the entry)

NOTE: Remember that both notes use the same duration value, so it doesn't matter whether you enter "D1" or "D2", both durations will change.

If you have made the entry correctly, the durations will change, and (when played using [P],[A]) "Greensleeves" will play twice as fast.

Now press [T] and make this entry:

[T]ranspose : /0/8/N1/2/

Then:

[T]ranspose : /0/8/N2/2/

NOTE: Unlike Duration entries, Note entries are independent, and two may be needed as in this example.

NOTE: You may use parts of a previous Transpose entry by pressing the right arrow key and moving the cursor over those characters that are still OK.

Now "Greensleeves" will play one whole step higher in pitch.

Negative numbers may be entered to [T]ranspose:

[T]ranspose : /0/8/N1/-4/

When using [T]ranspose, a change number of 1 will change durations by 50 percent (quarter notes become dotted eighths), and will change notes by a half-step (G becomes G#). A change number of 2 will make durations half or (when -2 is used) twice as long. A change number of 12 will change notes by 1 octave (since there are 12 semitones in an octave).

The Electric Duet is shown on a 5.25 inch floppy diskette. The reverse side of the diskette ever become damaged, please send five dollars to cover shipping and handling charges.

INSOFT
10175 SW BARE
PORTLAND, OR.

for a prompt replacement.

Due to the diskette protection, the screen will fill with asterisks when saving a player module on a diskette. This is normal and occurs when the diskette has been correctly saved. Since the diskette is used to re-enter the program, it is important to save the diskette correctly.

** CORRECTIONS

An enhancement was made to the program to improve its sound quality and to simplify the editing process. This was made possible by using a special feature of the diskette. Please insert the diskette and your Electric Duet manual.

Page 4 - In the last example, the duration should be "4.".

The last paragraph should read: durations for both notes.

Page 8 - The first paragraph should read: When you are changing durations, only enter one of the durations to be changed. This will change the same duration for both notes.

Page 7 - In the last paragraph, the text should read: to ContRoL-[R] will change the duration while ContRoL-[L] will change the pitch.

Electric Duet

The solution was to create a high-frequency carrier frequency (14,080 Hz) and control the percentage of time it is turned on. This is called "duty-cycle modulation". In this method, the carrier waveform is turned on a percentage of time based on whether one or the other of the musical note cycles is "on" at the moment. This effectively transmits voltage increments to the speaker or amplifier.

Note 1 Note 2 Speaker Duty Cycle

OFF	OFF	0
OFF	ON	50
ON	OFF	50
ON	ON	90

The described increments are controlled by counters containing numbers between 8 and 256. The carrier frequency of 14,080 Hz was selected for its musical importance:

$$14,080 / 32 = 440 \text{ (middle A)}$$

Therefore a pitch number of 32 gives A440.

Another refinement was "voicing", to increase the tonal range of the music. This is also accomplished by duty-cycle modulation, but at a much lower frequency. If a voice of 1 is selected, the generated musical tone has a duty cycle of 50 percent, voice 2 has 25 percent and so forth. If a voice number of 8 or greater is selected, the tone drops an octave in pitch, creating a "phantom octave" for a total of 6 octaves (5 1/2 of which are usable for normal music).

Electric Duet

The carrier frequency may be audible in some circumstances, although it is out of the hearing range of most of the population. When an amplifier is used, excessive stereo treble settings may bring it out.

Music File Internal Format

Each file entry consists of three bytes:

Byte 1 = duration. Normal range 2 - 255.
If Byte 1 = 0, it marks the file end.
If Byte 1 = 1, this indicates that bytes 2 and 3 are voice rather than note specifiers. Bytes 2 and 3 both must be note or voice specifiers.

Bytes 2 and 3 = note values for notes 1 and 2

Normal range of values 1 - 255.
If Byte 2 or 3 = 0, a rest is "played".

The Electric Duet is shown on a diskette. The reverse side of the diskette ever become damaged for five dollars to cover shipping and handling charges.

INSOFT
10175 SW BARE
PORTLAND, OR.

for a prompt replacement.

Due to the diskette protection, the screen will fill with a player module on. This is normal and occurs when the diskette is not being correctly saved. Since the diskette to re-enter the program.

** CORRECTIONS

An enhancement was made to the Electric Duet to improve its sound quality and to simplify its use. This was made possible by using a single command to enter both notes. Please insert the following into your Electric Duet manual.

Page 4 - In the last example, the command should be "4."

The last paragraph should read: durations for both notes.

Page 8 - The first paragraph should read: When you are changing the command, only enter one of the commands to be changed. This is the same duration value.

Page 7 - In the last paragraph, the command to ContRoL-[R] and ContRoL-[R] will lengthen the command while ContRoL-[F] will shorten it.

The Electric Duet is sh
diskette. The reverse
diskette ever become da
five dollars to cover sl

INSOFT
10175 SW BARE
PORTLAND, OR.

for a prompt replacement.

Due to the diskette prote
Duet, the screen will fil
saving a player module on
This is normal and occurs
been correctly saved. Sin
diskette to re-enter the program.

** CORRECTIONS

An enhancement was made to the Ele
its sound quality and to simplify
was made possible by using a sing
both notes. Please insert the fo
your Electric Duet manual.

Page 4 - In the last example,
be "4."

The last paragraph sh
durations for both no

Page 8 - The first paragraph s

When you are changing
only enter one of the
be changed. This is
the same duration val

Page 7 - In the last paragraph
to ContRoL-[R] and Co
ContRoL-[R] will leng
while ContRoL-[F] wil